

WM SOLE CUSHION 250ML, COMPONENT A (SOFT AND MEDIUM), COMMON SHEET

Page: 1

Compilation date: 26-03-2015

Revision date: 20-6-2018

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: WM SOLE CUSHION SOFT A40 250ML, COMPONENT A

WM SOLE CUSHION MEDIUM A50 250ML, COMPONENT A

Product code: WHS1001 (SOFT), WHS1002 (MEDIUM)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name: Werkman Hoofcare B.V.

Helper Molenstraat 43

Groningen

9721 BT

The Netherlands

Tel: +31 (0)50 521 81 21

Email: Wendy@werkmanhorseshoes.com

1.4. Emergency telephone number

Emergency tel: +31 (0)50 521 81 21

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:

Carc. 2: H351; STOT RE 2: H373; Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H335;

Resp. Sens. 1: H334; Skin Sens. 1: H317; -: EUH204; Acute Tox. 4: H332

Most important adverse effects: Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Contains isocyanates. May produce an allergic reaction.

Harmful if inhaled.

2.2. Label elements

Label elements:

Hazard statements: H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

H319: Causes serious eye irritation.



WM SOLE CUSHION 250ML, COMPONENT A (SOFT AND MEDIUM), COMMON SHEET

Page: 2 [cont...]

H315: Causes skin irritation.

H335: May cause respiratory irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317: May cause an allergic skin reaction.

EUH204: Contains isocyanates. May produce an allergic reaction.

H332: Harmful if inhaled.

Hazard pictograms: GHS07: Exclamation mark

GHS08: Health hazard





Signal words: Danger

Precautionary statements: P201: Obtain special instructions before use.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P341: IF INHALED: if breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

METHYLENEDIPHENYL DIISOCYANATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent					
247-714-0	26447-40-5	-	Carc. 2: H351; Acute Tox. 4: H332; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334; Skin Sens. 1: H317; STOT SE 2: H371; STOT RE 2: H373	75.000%					

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. If irritation persists consult a doctor.

Eye contact: Remove contact lenses. Bathe the eye with running water for 15 minutes. If irritation

persists, consult a doctor.

Ingestion: Call a doctor immediately. Induce vomiting only if indicated by the doctor. Give nothing



WM SOLE CUSHION 250ML, COMPONENT A (SOFT AND MEDIUM), COMMON SHEET

Page: 3

without the express permission of the doctor. Never give anything by mouth to an unconscious person.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Move to

fresh air in case of accidental inhalation of vapours. If breathing problems develop, call a

doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain

may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause

coughing or wheezing. Irritation of the lower and upper respiratory tract.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers. Carbon dioxide. Alcohol resistant foam. Dry chemical powder. In case of spillage without ignition, use water fog to correct the spreading of flammable vapors.

Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Collect extinguishingwater to prevent it from draining into the sewer system.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.



WM SOLE CUSHION 250ML, COMPONENT A (SOFT AND MEDIUM), COMMON SHEET

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Ensure adequate ventilation. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Do not eat, drink or smoke when using this product. Without adequate ventilation, vapors may accumulate in the deeper layers of the soil and also from the distance light when they are lit, the danger exists that the flame returns.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. Keep away from direct sunlight. Prevent the build up of electrostatic charge in the immediate area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. If the threshold of the substance is exceeded, it is advisable to use a mask with filter type B.

Choose the class based on the concentration limit. In the presence of gases or vapors of different kind and / or gases or vapors with particles (aerosols, smoke, haze, etc.) should

be used combination filters. The use of respiratory protective equipment is necessary



WM SOLE CUSHION 250ML, COMPONENT A (SOFT AND MEDIUM), COMMON SHEET

Page: 5

when applied engineering controls are not adequate to limit worker exposure to the relevant thresholds. The protection provided by masks is in any case limited. If the substance is odorless and in any case of emergency, use self-contained breathing apparatus with compressed air with open circuit. For the correct choice of the protective equipment of the respiratory: EN529 standard.

Hand protection: Protective gloves. Categorie III (ref. norm EN 374 en EN 420). Selection of the glove

material on consideration of the penetration times, rates of diffusion and the

degradation. The wear length of the glove is dependent on the duration and manner of

use.

Eye protection: Ensure eye bath is to hand. Tightly fitting safety goggles. EN 166.

Skin protection: Ensure safety shower is to hand. Protective clothing. Categorie II (ref. EEG Richtlijn

89/686 en norm EN ISO 20344). Wash with soap and water after you took off the clothes.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Straw-colored

Solubility in water: Insoluble

Viscosity: 1950 mPa.s

Flash point°C: 185 Vapour pressure: 0,01 Pa

Relative density: 1,100 Kg/l VOC g/l: 0

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: The product may react exothermically on contact with strong oxidizing agents or reducers, strong acids or bases.

10.2. Chemical stability

Chemical stability: Excessively high temperature can cause thermal decomposition.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials



WM SOLE CUSHION 250ML, COMPONENT A (SOFT AND MEDIUM), COMMON SHEET

Page: 6

Materials to avoid: Oxidising agents. Reducing agents. Strong acids. Bases.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	INH DRM	Hazardous: calculated
Carcinogenicity		Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain

may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing. Irritation of the lower and upper respiratory tract.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Lootoxiony variable.					
Species	Test	Value	Units		
FISH	96H LC50	>1000	mg/l		
DAPHNIA	48H EC50	>1000	mg/l		

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.



WM SOLE CUSHION 250ML, COMPONENT A (SOFT AND MEDIUM), COMMON SHEET

Page: 7

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company. Recycle if possible. The residues of the product should be considered as

special hazardous waste. Dispose of via a licensed waste disposal contractor.

In accordance with the national and possibly also with local regulations. Avoid dispersal

of the product on the ground, into sewers or running water.

Disposal of packaging: Contaminated packaging materials must be sent to a processing plant. In accordance

with the national legislation on waste management.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by

the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No. 1907/2006.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH204: Contains isocyanates. May produce an allergic reaction.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H351: Suspected of causing cancer ({{{0|||message=<state route of exposure if it is

SHUFILL CUSHION COMPONENT A (SUPER SOFT, SOFT, MEDIUM, FIRM), COMMON SHEET

Page: 8

conclusively proven that no other routes of exposure cause the hazard>|||filter=(_)? $EXP_ROUTE_.+})). \\$

H373: May cause damage to organs ({{{0|||message=<or state all organs affected, if known>|||filter=(_)?ORGAN_.+}})} through prolonged or repeated exposure ({{{1||| message=<state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>|||filter=(_)?EXP_ROUTE_.+}}}).

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

SHUFILL CUSHION COMPONENT A (SUPER SOFT, SOFT, MEDIUM, FIRM), COMMON SHEET

Page: 9 [final page]